

VU Research Portal

Editorial

Bakker, B.L.G.

published in

Few-Body Systems
2010

DOI (link to publisher)

[10.1007/s00601-009-0079-7](https://doi.org/10.1007/s00601-009-0079-7)

document version

Publisher's PDF, also known as Version of record

[Link to publication in VU Research Portal](#)

citation for published version (APA)

Bakker, B. L. G. (2010). Editorial. *Few-Body Systems*, 47(1-2), 1-2. <https://doi.org/10.1007/s00601-009-0079-7>

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal ?

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

E-mail address:

vuresearchportal.ub@vu.nl

Ben L. G. Bakker

Editorial

Published online: 15 December 2009

© The Author(s) 2009. This article is published with open access at Springerlink.com

When Few-Body Systems was created 23 years ago, Professor Willibald Plessas was Associate Editor, while Professor Mitter was Editor. Four years later, Professor Plessas became Managing Editor and in 2003 he became Editor-in-Chief, a position he fulfilled until 2004.

Professor Plessas helped create a niche journal where atomic, nuclear, and particle physicists as well as colleagues working in solid state physics or chemistry would find a forum for research at the precision frontier both experimentally and theoretically. Over the years, the few-body community has witnessed a sustained interest in physical systems with a limited number of degrees of freedom, yet sufficiently complex to demonstrate interesting, at times even puzzling behavior.

In few-nucleon systems chiral effective field theory (χ EFT) has made a great impact. This approach has been developed to the point where it can be used to describe two- and three-nucleon systems with the same precision as boson-exchange interactions. As the language of χ EFT is so different from the boson-exchange story, one might have hoped that it could solve some of the outstanding puzzles in few-nucleon scattering, namely the one known as the ‘ A_y puzzle’. This is the name covering a set of discrepancies between our best theories and most accurate experiments concerned with spin observables in nucleon–deuteron scattering. Still, this hope has until now not been fulfilled, which means that more work needs to be done and perhaps new ideas are called for.

Another surprising development during the time Professor Plessas was in office, took place in the physics of ultra-cold atoms. A path-breaking paper by Vitaly Efimov (1971) suggested that in systems with very small binding energy the dynamics could be described by a single scattering parameter, the scattering length a , only. At the time of publication, this idea seemed to be a curiosity, as scattering lengths had just to be taken as a given and in nuclear physics only one system with a great scattering length is known: two nucleons in the 1S_0 state. However, when it was discovered that in some extremely cold atomic systems the scattering length of atom–atom scattering could be varied through a Feshbach resonance, where a runs from a negative value to a positive one, passing \pm infinity, the ideas first put forward by Efimov gained new interest. Presently, experimental and theoretical groups are working very intensely to unravel the physics of these intriguing systems.

Last but not least, there are developments in solid-state physics, where small devices—quantum dots—can be made, that can bind only a few electrons at a time. Such novel systems can be viewed as artificial atoms in which the number of electrons can be varied. The skills of the experimentalists to almost customize these solid-state devices are growing, spurring the theoreticians to hone their methods for explaining their properties.

All these developments show that the few-body community is very much flourishing. Few-Body Systems, under the leadership of Professor Plessas played its role as a forum where these exciting developments and many more, could be published. On the occasion of his 60th birthday, Few-Body Systems publishes by way of a birthday present, the special issue that lies before you. Several colleagues who have in one way or another

B. L. G. Bakker

Department of Physics and Astronomy, Faculty of Sciences, Vrije Universiteit,
De Boelelaan 1081, 1081 HV Amsterdam, The Netherlands
E-mail: blgbkkr@few.vu.nl

crossed the path of Willi Plessas in physics, have contributed original papers to this issue. The wide variation of topics treated in these papers testifies to the versatility of Willi as a physicist. Willi, please accept this issue dedicated to you as a token of our appreciation for you as a physicist and for your role as Editor of Few-Body Systems for so many years.

Congratulations!
Ben L. G. Bakker
Editor-in-Chief

Open Access This article is distributed under the terms of the Creative Commons Attribution Noncommercial License which permits any noncommercial use, distribution, and reproduction in any medium, provided the original author(s) and source are credited.